

LUMINAIRE CLASSE A




TABLEAU D'UTILANCE POUR J = 0

Facteurs de réflexion		873		773		753		731		551		511		311	
		871		771		751		711		531		331		000	
Indice du local	0.60	88	81	87	81	78	74	70	67	74	70	67	70	67	66
	0.80	95	87	94	86	85	80	76	73	79	75	73	75	72	71
	1.00	102	91	99	90	91	85	81	78	84	81	78	80	78	76
	1.25	107	95	104	94	96	89	86	83	88	85	82	84	82	80
	1.50	110	97	108	96	100	92	89	86	91	88	86	87	85	84
	2.00	116	101	113	100	107	97	94	92	95	93	91	92	90	89
	2.50	119	103	116	102	111	100	98	96	98	96	95	95	94	92
	3.00	122	105	118	104	114	102	100	99	100	99	98	98	97	95
	4.00	125	106	121	105	118	104	103	102	102	101	100	100	99	97
	5.00	126	107	122	106	120	105	104	104	103	103	102	101	101	98

LUMINAIRE CLASSE A




TABLEAU D'UTILANCE POUR J = 1/3

Facteurs de réflexion		873		773		753		731		551		511		311	
		871		771		751		711		531		331		000	
Indice du local	0.60	85	79	84	79	76	73	70	67	73	69	67	69	67	66
	0.80	91	85	90	84	82	79	75	72	78	75	72	75	72	71
	1.00	97	89	96	89	88	84	80	78	83	80	78	80	77	76
	1.25	103	93	101	92	93	88	85	82	87	84	82	84	82	80
	1.50	106	96	105	95	97	91	88	85	90	87	85	87	85	84
	2.00	112	100	110	99	103	96	93	91	94	92	90	92	90	89
	2.50	116	102	114	101	108	99	97	95	97	96	94	95	93	92
	3.00	119	104	116	103	111	101	99	98	100	98	97	97	96	95
	4.00	122	105	119	105	115	103	102	101	102	101	100	99	99	97
	5.00	124	106	121	105	117	104	103	103	103	102	101	101	100	98

LUMINAIRE CLASSE B




TABLEAU D'UTILANCE POUR J = 0

Facteurs		873		773		753		731		551		511		311	
de réflexion		871		771		751		711		531		331		000	
Indice du local	0.60	80	74	79	73	68	65	60	56	64	59	56	59	56	55
	0.80	89	81	87	80	76	72	67	63	71	66	63	66	63	61
	1.00	96	86	93	85	84	78	73	70	77	73	69	72	69	67
	1.25	102	91	99	89	90	84	79	76	82	78	75	77	75	73
	1.50	106	94	103	92	95	87	83	80	86	82	79	81	79	77
	2.00	113	98	109	97	103	93	90	87	91	88	86	87	85	83
	2.50	117	101	113	100	107	96	94	91	95	92	90	91	89	87
	3.00	120	103	116	101	111	99	97	95	97	95	94	94	93	90
	4.00	123	104	119	103	115	102	100	98	100	98	97	97	96	93
	5.00	125	106	121	104	118	103	102	101	101	100	99	98	98	95

LUMINAIRE CLASSE B




TABLEAU D'UTILANCE POUR J = 1/3

Facteurs	873	773	753	731	551	511	311
de réflexion	871	771	751	711	531	331	000

Indice du local

0.60	76	71	75	71	66	64	59	56	63	59	56	59	56	55
0.80	84	78	83	78	74	71	66	63	70	66	63	66	62	61
1.00	91	84	90	83	81	77	72	69	76	72	69	72	69	67
1.25	98	89	96	88	87	82	78	75	81	77	74	77	74	73
1.50	102	92	100	91	92	86	82	79	85	81	79	81	78	77
2.00	109	97	107	96	99	92	88	86	90	88	85	87	85	83
2.50	114	100	111	99	104	95	93	90	94	92	90	91	89	87
3.00	117	102	114	101	108	98	96	94	97	95	93	94	92	90
4.00	120	104	117	103	112	101	99	97	99	98	96	96	95	93
5.00	123	105	119	104	115	102	101	100	101	100	98	98	97	95

LUMINAIRE CLASSE C




TABLEAU D'UTILANCE POUR J = 0

Facteurs de réflexion		873		773		753		731		551		511		311	
		871		771		751		711		531		331		000	
Indice du local	0.60	71	66	70	65	58	55	49	44	54	48	44	48	44	42
	0.80	82	74	80	73	68	64	58	53	63	57	53	57	53	51
	1.00	90	81	87	79	76	71	65	61	70	65	60	64	60	58
	1.25	97	86	94	85	84	77	72	68	76	71	67	70	67	65
	1.50	102	90	99	88	89	82	77	73	80	76	72	75	72	70
	2.00	109	95	105	93	97	88	84	81	86	83	80	82	79	77
	2.50	113	98	110	96	103	92	89	85	90	87	84	86	83	81
	3.00	116	100	112	98	106	95	92	89	93	90	88	89	87	84
	4.00	120	102	116	101	111	98	95	93	96	94	92	92	90	88
	5.00	122	103	118	102	113	99	97	95	97	96	94	94	92	90

LUMINAIRE CLASSE C




TABLEAU D'UTILANCE POUR J = 1/3

Facteurs de réflexion		873	773	753	731	551	511	311							
		871	771	751	711	531	331	000							
Indice du local	0.60	67	63	66	62	55	53	48	44	53	48	44	48	44	42
	0.80	77	72	76	71	65	62	57	53	62	56	53	56	53	51
	1.00	85	78	84	77	73	69	64	60	69	64	60	63	60	58
	1.25	92	84	91	83	80	76	71	67	75	70	67	70	66	65
	1.50	98	88	96	87	86	80	76	72	79	75	72	74	71	70
	2.00	105	93	103	92	94	87	83	79	86	82	79	81	78	77
	2.50	110	96	107	95	99	91	87	84	89	86	84	85	83	81
	3.00	113	99	110	98	103	94	91	88	92	89	87	88	86	84
	4.00	117	101	114	100	108	97	94	92	95	93	91	92	90	88
	5.00	120	103	116	101	111	99	96	94	97	95	93	94	92	90

LUMINAIRE CLASSE D




TABLEAU D'UTILANCE POUR J = 0

Facteurs de réflexion		873		773		753		731		551		511		311	
		871		771		751		711		531		331		000	
Indice du local	0.60	66	61	64	60	51	49	42	37	48	42	37	41	37	35
	0.80	77	70	75	68	62	58	51	46	57	51	46	50	46	44
	1.00	85	76	83	75	70	66	59	54	64	58	53	57	53	51
	1.25	93	82	90	81	78	73	66	61	71	65	61	64	60	58
	1.50	98	86	95	85	84	77	72	67	76	71	66	69	66	64
	2.00	106	92	102	91	93	85	80	76	83	78	75	77	74	72
	2.50	111	96	107	94	99	89	85	81	87	83	80	82	79	77
	3.00	114	98	110	97	104	92	89	85	90	87	84	86	83	81
	4.00	118	101	114	99	109	96	93	90	94	91	89	90	88	85
	5.00	121	102	117	101	112	98	96	94	96	94	92	92	91	88

LUMINAIRE CLASSE D




TABLEAU D'UTILANCE POUR J = 1/3

Facteurs de réflexion		873		773		753		731		551		511		311	
		871		771		751		711		531		331		000	
Indice du local	0.60	62	58	61	57	49	47	41	37	47	41	37	41	37	35
	0.80	72	67	71	66	59	56	50	46	56	50	45	50	45	44
	1.00	80	74	79	73	67	64	58	53	63	57	53	57	53	51
	1.25	88	80	86	79	75	71	65	60	70	64	60	64	60	58
	1.50	94	84	92	83	81	76	70	66	75	70	66	69	65	64
	2.00	102	91	99	89	90	83	78	75	82	77	74	77	74	72
	2.50	107	94	104	93	96	88	84	80	86	83	80	82	79	77
	3.00	111	97	108	96	101	91	88	84	90	86	84	85	83	81
	4.00	116	100	112	99	106	95	92	89	93	91	88	89	87	85
	5.00	119	102	115	100	110	98	95	93	96	93	91	92	90	88

LUMINAIRE CLASSE E




TABLEAU D'UTILANCE POUR J = 0

Facteurs de réflexion		873		773		753		731		551		511		311	
		871		771		751		711		531		331		000	
Indice du local	0.60	61	56	59	55	45	43	35	30	42	35	30	35	30	28
	0.80	72	65	70	64	56	53	45	39	51	44	39	43	39	36
	1.00	80	72	78	71	64	60	53	47	59	52	46	51	46	44
	1.25	89	79	85	77	73	68	60	55	66	59	54	58	54	51
	1.50	94	83	91	82	80	73	66	61	71	65	60	64	60	57
	2.00	103	90	99	88	89	81	75	71	79	74	70	73	69	67
	2.50	108	94	105	92	96	86	81	77	84	80	76	78	75	73
	3.00	112	96	108	95	101	90	86	82	88	84	81	83	80	77
	4.00	117	100	113	98	107	94	91	88	92	89	87	88	85	83
	5.00	120	102	116	100	111	97	94	92	95	93	90	91	89	86

LUMINAIRE CLASSE E




TABLEAU D'UTILANCE POUR J = 1/3

	Facteurs		873		773		753		731		551		511		311	
	de réflexion		871		771		751		711		531		331		000	
Indice du local	0.60		56	53	55	52	43	41	34	30	41	34	30	34	30	28
	0.80		67	62	66	61	53	50	43	38	50	43	38	43	38	36
	1.00		75	69	74	68	61	58	51	46	57	51	46	50	46	44
	1.25		84	76	82	75	69	66	59	54	64	58	54	58	53	51
	1.50		90	81	88	80	76	71	65	60	70	64	60	64	59	57
	2.00		99	88	96	86	86	79	74	70	78	73	69	72	69	67
	2.50		105	92	102	91	93	85	80	76	83	79	75	78	75	73
	3.00		109	95	106	94	98	89	84	81	87	83	80	82	79	77
	4.00		115	99	111	97	104	93	90	87	92	89	86	87	85	83
	5.00		118	101	114	100	108	96	93	91	94	92	90	90	89	86

LUMINAIRE CLASSE F




TABLEAU D'UTILANCE POUR J = 0

Facteurs de réflexion		873		773		753		731		551		511		311	
		871		771		751		711		531		331		000	
Indice du local	0.60	57	52	55	51	40	38	30	24	37	30	24	29	24	22
	0.80	70	64	68	62	54	51	42	36	49	42	36	41	36	34
	1.00	80	72	77	70	64	60	52	46	58	51	46	50	46	43
	1.25	89	79	86	78	74	68	61	56	67	60	55	59	55	53
	1.50	96	84	92	83	81	74	68	63	73	67	62	66	62	59
	2.00	104	91	101	89	92	83	78	73	81	76	72	75	72	69
	2.50	110	95	106	93	98	88	83	79	86	82	79	81	78	75
	3.00	113	97	110	96	103	91	87	84	89	86	83	84	82	79
	4.00	118	100	114	99	108	95	92	89	93	90	88	89	87	84
	5.00	120	102	116	100	111	98	95	92	95	93	91	91	90	87

LUMINAIRE CLASSE F




TABLEAU D'UTILANCE POUR J = 1/3

Facteurs de réflexion		873		773		753		731		551		511		311	
			871		771		751		711		531		331		000
Indice du local	0.60	52	49	51	48	38	36	29	24	36	29	24	29	24	22
	0.80	65	60	64	59	50	48	41	36	48	41	36	41	36	34
	1.00	75	69	73	68	61	58	51	46	57	50	45	50	45	43
	1.25	84	77	82	75	70	66	60	55	65	59	55	59	55	53
	1.50	91	82	89	81	78	73	67	62	71	66	62	65	61	59
	2.00	101	89	98	88	88	81	76	72	80	75	72	75	71	69
	2.50	106	93	103	92	95	87	82	78	85	81	78	80	77	75
	3.00	110	96	107	95	99	90	86	83	89	85	82	84	81	79
	4.00	115	99	112	98	105	94	91	88	93	90	87	88	86	84
	5.00	118	101	114	100	109	97	94	92	95	92	90	91	89	87

LUMINAIRE CLASSE G



TABLEAU D'UTILANCE POUR J = 0

Facteurs de réflexion		873		773		753		731		551		511		311	
		871		771		751		711		531		331		000	
Indice du local	0.60	58	53	56	52	42	40	32	26	39	31	26	31	26	24
	0.80	68	62	66	61	51	48	40	34	47	39	34	39	33	31
	1.00	77	69	74	67	59	56	47	41	54	46	41	46	40	38
	1.25	84	75	81	73	68	63	55	48	61	54	48	52	47	45
	1.50	90	80	87	78	74	68	60	54	66	59	54	58	53	50
	2.00	99	86	95	84	84	76	69	64	74	68	63	66	62	59
	2.50	104	90	100	88	91	81	75	70	79	74	69	72	68	66
	3.00	109	93	104	91	96	85	80	75	83	78	74	77	73	70
	4.00	114	97	109	95	102	90	86	82	88	84	81	82	79	77
	5.00	117	99	112	97	106	93	90	86	91	88	85	86	83	81

LUMINAIRE CLASSE G



TABLEAU D'UTILANCE POUR J = 1/3

Facteurs de réflexion		873		773		753		731		551		511		311	
		871		771		751		711		531		331		000	
Indice du local	0.60	53	50	52	49	39	38	31	26	37	31	26	30	26	24
	0.80	63	59	62	58	48	46	39	33	46	38	33	38	33	31
	1.00	71	65	70	64	56	53	46	40	52	45	40	45	40	38
	1.25	79	72	77	71	64	60	53	47	59	52	47	52	47	45
	1.50	86	77	83	76	70	66	59	53	65	58	53	57	53	50
	2.00	95	84	92	83	80	74	68	63	73	67	62	66	62	59
	2.50	101	89	98	87	87	80	74	69	78	73	69	72	68	66
	3.00	105	92	102	90	93	84	79	74	82	77	73	76	73	70
	4.00	111	96	107	94	99	89	85	81	87	83	80	82	79	77
	5.00	115	98	111	97	104	92	89	85	90	87	84	86	83	81

LUMINAIRE CLASSE H




TABLEAU D'UTILANCE POUR J = 0

Facteurs de réflexion		873		773		753		731		551		511		311		000	
		871		771		751		711		531		331					
Indice du local	0.60	57	52	55	51	40	38	30	24	37	29	24	29	24	22		
	0.80	66	60	64	59	49	46	37	31	45	37	31	36	31	28		
	1.00	74	67	71	65	57	53	44	37	51	43	37	42	37	34		
	1.25	82	73	79	71	64	59	51	44	57	50	44	49	43	41		
	1.50	87	77	84	75	70	65	56	50	62	55	49	54	49	46		
	2.00	96	83	92	81	80	72	65	59	70	63	58	62	57	54		
	2.50	101	87	97	86	86	78	71	65	75	69	64	68	63	60		
	3.00	105	90	101	89	91	81	75	70	79	74	69	72	68	65		
	4.00	111	94	106	92	98	87	81	77	84	79	75	78	74	71		
	5.00	114	97	110	95	103	90	85	81	87	83	80	82	78	75		

LUMINAIRE CLASSE H




TABLEAU D'UTILANCE POUR J = 1/3

Facteurs de réflexion		873		773		753		731		551		511		311	
		871		771		751		711		531		331		000	
Indice du local	0.60	52	48	51	48	37	36	29	24	36	29	24	29	24	22
	0.80	61	57	60	56	46	44	36	31	43	36	31	36	30	28
	1.00	69	63	67	62	53	51	43	37	50	42	37	42	37	34
	1.25	77	70	75	68	61	57	49	43	56	49	43	48	43	41
	1.50	83	74	80	73	67	62	55	49	61	54	49	53	48	46
	2.00	92	81	89	80	76	70	63	58	69	62	57	61	57	54
	2.50	98	86	94	84	83	76	69	64	74	68	63	67	63	60
	3.00	102	89	99	87	88	80	74	69	78	73	68	72	67	65
	4.00	108	93	104	92	95	85	80	76	83	79	75	77	74	71
	5.00	112	96	108	94	100	89	84	80	87	83	79	81	78	75

LUMINAIRE CLASSE I




TABLEAU D'UTILANCE POUR J = 0

Facteurs de réflexion	873	871	773	771	753	751	731	711	551	531	511	331	311	000
0.60	52	48	50	46	34	32	24	17	31	23	17	23	17	15
0.80	63	58	61	56	45	43	34	27	41	33	27	32	26	24
1.00	73	65	70	63	55	51	42	35	49	41	35	40	34	32
1.25	81	72	78	70	64	59	50	44	57	49	43	48	43	40
1.50	88	78	85	76	71	65	57	51	63	56	50	55	50	47
2.00	97	85	94	83	82	74	67	61	72	66	61	65	60	57
2.50	104	89	100	88	90	80	74	69	78	73	68	71	67	64
3.00	108	93	104	91	95	85	79	74	82	77	73	76	72	69
4.00	114	97	109	95	102	90	86	82	88	84	80	82	79	76
5.00	117	99	113	97	106	93	90	86	91	88	85	86	83	81

LUMINAIRE CLASSE I




TABLEAU D'UTILANCE POUR J = 1/3

Facteurs de réflexion		873		773		753		731		551		511		311	
		871		771		751		711		531		331		000	
Indice du local	0.60	46	44	46	43	31	30	23	17	30	22	17	22	17	15
	0.80	58	54	57	53	42	40	32	26	40	32	26	32	26	24
	1.00	67	62	66	61	51	49	40	34	48	40	34	40	34	32
	1.25	76	69	74	68	60	57	49	43	56	48	43	48	43	40
	1.50	83	75	81	73	68	63	56	50	62	55	50	54	49	47
	2.00	93	83	90	81	79	73	66	60	71	65	60	64	60	57
	2.50	100	88	97	86	86	79	73	68	77	72	67	71	67	64
	3.00	105	91	101	90	92	83	78	73	81	77	73	75	72	69
	4.00	111	96	107	94	99	89	84	81	87	83	80	82	79	76
	5.00	115	98	111	97	104	92	89	85	90	87	84	86	83	81

LUMINAIRE CLASSE J




TABLEAU D'UTILANCE POUR J = 0

Facteurs de réflexion		873		773		753		731		551		511		311	
		871		771		751		711		531		331		000	
Indice du local	0.60	51	47	49	45	33	32	23	17	31	22	16	22	16	14
	0.80	61	55	59	54	42	40	30	23	38	30	23	29	23	20
	1.00	69	62	66	60	50	46	37	29	44	36	29	35	29	26
	1.25	76	68	73	66	57	53	43	36	51	42	35	41	35	32
	1.50	82	72	78	70	63	58	49	41	56	47	40	46	40	37
	2.00	90	79	86	76	72	66	57	49	63	55	49	54	48	45
	2.50	96	83	92	81	79	71	63	56	68	61	55	59	54	51
	3.00	100	86	96	84	84	75	67	61	72	65	60	64	59	55
	4.00	106	90	101	88	91	80	74	67	77	72	66	70	65	62
	5.00	109	93	105	91	96	84	78	72	81	76	71	74	70	66

LUMINAIRE CLASSE J




TABLEAU D'UTILANCE POUR J = 1/3

Facteurs de réflexion		873		773		753		731		551		511		311	
		871		771		751		711		531		331		000	
Indice du local	0.60	46	43	45	42	31	30	22	16	29	22	16	21	16	14
	0.80	55	51	54	50	39	37	29	23	37	29	23	28	23	20
	1.00	63	58	61	57	46	44	35	29	43	35	28	34	28	26
	1.25	71	64	69	63	53	50	42	35	49	41	35	40	34	32
	1.50	77	69	74	68	59	56	47	40	54	46	40	45	39	37
	2.00	86	76	83	74	69	64	55	48	62	54	48	53	48	45
	2.50	92	81	89	79	76	69	61	55	67	60	54	59	53	51
	3.00	97	84	93	82	81	73	66	60	71	64	59	63	58	55
	4.00	103	89	99	87	88	79	72	67	77	71	66	69	65	62
	5.00	107	92	103	90	93	83	77	72	80	75	70	74	69	66

LUMINAIRE CLASSE T




TABLEAU D'UTILANCE POUR J = 0

	Facteurs	873	773		753		731		551		511		311	
	de réflexion	871	771		751		711		531		331		000	
Indice du local	0.60	47	44	40	37	30	29	23	19	20	16	14	10	8 0
	0.80	56	51	48	44	38	36	30	26	25	21	18	12	11 0
	1.00	63	57	53	48	44	41	35	31	28	25	22	15	13 0
	1.25	70	62	59	53	50	46	41	37	32	29	26	17	15 0
	1.50	74	65	63	56	54	50	45	41	35	31	29	19	17 0
	2.00	81	70	68	60	61	55	51	47	38	36	33	21	20 0
	2.50	85	73	72	63	65	59	55	51	41	38	36	23	21 0
	3.00	88	75	74	65	68	61	58	55	42	40	38	24	23 0
	4.00	92	78	77	67	73	64	61	59	45	43	41	25	25 0
	5.00	94	80	80	69	76	66	64	62	46	45	43	26	26 0

LUMINAIRE CLASSE T




TABLEAU D'UTILANCE POUR J = 1/3

Facteurs de réflexion		873		773		753		731		551		511		311	
		871		771		751		711		531		331		000	
Indice du local	0.60	28	26	25	23	14	14	9	6	11	6	4	4	2	0
	0.80	37	35	33	30	21	20	13	9	15	10	7	7	4	0
	1.00	45	41	39	36	26	25	18	13	18	13	9	9	6	0
	1.25	52	47	45	41	32	31	23	18	22	17	13	11	8	0
	1.50	58	52	50	46	37	35	28	22	25	20	15	13	9	0
	2.00	67	59	57	51	46	42	35	29	30	25	20	15	12	0
	2.50	73	64	62	56	51	47	40	35	34	28	24	18	14	0
	3.00	77	67	66	58	56	51	44	39	36	31	27	19	16	0
	4.00	83	72	71	62	62	56	50	46	39	35	32	21	19	0
	5.00	87	75	74	65	67	59	54	50	42	38	35	23	21	0